

# Swipe Left on This Pulse: optimizing electrical stimulation to reduce paralysis.

B. Bronder, J. A. Leverett, I. O. Porozni, & D. F. Collins

Human Neurophysiology Laboratory, Kinesiology, Sport, & Recreation, University of Alberta, Edmonton, Alberta, Canada

A. Transcutaneous spinal cord stimulation



## INTRODUCTION

# What is transcutaneous spinal cord stimulation?

- Transcutaneous spinal cord stimulation (tSCS), is a new technology which is gaining attention due to its promising application of restoring fictional movements for people experiencing a spinal cord injury (SCI)1
- tSCS in practice is applied at low intensity through the skin of the back and targets sensory axons in the dorsal roots at where they enter the spinal cord.
- When the stimulation intensity is above therapeutic levels these axons can produce contractions via reflexes, also known as dorsal root reflexes (DRRs).

## Woah hold up, what are dorsal root reflexes?

- · When the dorsal roots are stimulated it causes a contraction in the muscle.
- This is due a pathway through the spinal cord from the sensory nerve to quickly send a signal to the motor nerve which leads to a contraction aka a reflex.
- A DRRs is a specific kind of reflex where the stimulation is on the dorsal roots instead of a peripheral nerve or what occurs during a tendon tap test.

## Why swipe left?

- Since tSCS only works if the dorsal roots are stimulated, it would be recommended to use the most effective stimulus pulse to activate them
- When stimulating peripheral nerves, stimulus pulses with wider phases more effectively recruit motor and sensory axons than narrow phases (see Poronzni et al., poster at 13:34).

#### Purpose

 This project will evaluate the effect the phase duration of stimulus pulse has on stimulating the target axons via DRRs.


# Hypotheses (What we think will happen)

 Wider phase pulses (0.5ms) would more effectively stimulate axons in the dorsal roots and produce contractions in leg muscles than narrow phase pulses (0.125ms).



tscs pulses

0.125 ms phase



# **METHODS**

### How did we do it?

- Using the Ebramed nero9 stimulator narrow and wide phases pulses were delivered through electrodes placed on the back and hips.
- · Electromyography was used to record the DRR in 4 leg muscles.
- Recruitment curves were collected to show how effectively muscle are recruited using a given stim intensity.
- 40 stimulations were recorded for both pulses at pseudorandom intensities.



# CONCLUSION

#### So What?

 These wider phase pulses are better for targeting sensory axons and thus we believe they will also be better to restore function for people with a SCI.

#### What Next?

 The next step would be to test wider vs narrow phase pulses are more effective in helping people regain function with a SCI.

# **References & Acknowledgments**

#### References:

 Gerasimenko, Y., Gorodnichev, R., Moshonkina, T., Sayenko, D., Gad, P., & ReggieEdgerton, V. (2015). 58(4), 225–231. https://doi.org/10.1016/j.rehab.2015.05.003

#### Thank you:

Alejandro Ley, the man, the myth, the legend!