

Older adults' perceptions of information seeking and access to cannabis for health conditions: Findings from a descriptive survey.

Canadian Association on Gerontology

Oct. 21st, 2022

Shovana Shrestha, PhD student



Acknowledgements

- Dr. Sherry Dahlke Pl
- Dr. Kathleen Hunter
- Dr. Madelene Toubiana
- Dr. Maya Kalogirou
- Dr. Jeff Butler
- Rashmi Devkota
- Joanna Law
- Melissa Scheuerman
- Mathew Pietrosanu
- Research participants





Background

- Wide use of cannabis for medicinal purpose pain, nausea, arthritis, anxiety, sleep issues, and depression.¹⁻³
- Legalized in Canada for health reasons in 2001. ^{4,5}
- Still considered as an illicit drug. 6
- Stigmatization—prevents discussion of its use—end up accessing cannabis from illicit providers.^{7,8}
- Inadequate information about cannabis—leads to consequences (e.g., consuming wrong dosage of cannabis—health impacts). 9
- Need to focus on enhancing safe use of cannabis.





Aim

• To understand older adults' perceptions of their information seeking and access to cannabis for health reasons.

Methods

Design

Descriptive survey

Sampling & Participants

Purposive sampling

Canadians≥60 years, cannabis users or prospective users

Recruitment

 Flyers posted in various platforms (CanAge, HelpAge, retail stores, cannabis dispensaries)

Interested participants self selected to participate by contacting the researchers

Screened for eligibility

 Data collection: Eligible participants were sent online survey link via email –completed the online survey

Data collection

Contd... Methods (Data analysis)










DESCRIPTIVE ANALYSIS

PROPORTION

FREQUENCY

MEAN AND STANDARD DEVIATION


Results




Socio-demographic characteristics of participants (N=114)

Socio-demographic characteristics	N (%)
Age (Mean ± SD), (Range)	67.12 ± 5.51, (60-95 years)
Gender	
Male	<mark>61 (53.5%)</mark>
Female	47 (41.2%)
Preferred not to disclose	6 (5.3%)
Participant's location	
Atlantic provinces	13 (11.4%)
British Columbia	19 (16.7%)
Ontario	32 (28.1%)
Prairie provinces	<mark>38 (33.3%)</mark>
Quebec	12 (10.5%)
Participants' location type	
City less than 1 million people	<mark>49 (43%)</mark>
City over 1 million people	30 (26.3%)
Rural (farm or acreage)	3 (2.6%)
Town or village	32 (28.1%)


Used cannabis in the past?




Motivations to use cannabis (N=114) *Multiple response question



General experience with cannabis




Cannabis use and judgement




Have you used cannabis throughout your life? (n=114)

Have you ever felt Do feelings of being Do feelings of being like you had to hide judged impact your judged impact your your use of decision to use decision to seek cannabis? (n=106) cannabis? (n=106) information about cannabis? (n=105)

Quality of information by sources



Comfort with methods of accessing cannabis



Conclusion

Majority had positive experience

Most accessed information through health care professionals followed by retailers, internet, friend, family members and cannabis growers

Majority accessed cannabis via cannabis retail stores followed by medical dispensary, cannabis grower.

Older adults still feel uncomfortable accessing information and cannabis.

References

- 1. Zuardi, A. W. (2006). History of cannabis as a medicine: A review. *Revista Brasileira de Psiquiatria*, 28(2), 153–157. https://doi.org/10.1590/S1516-44462006000200015
- 2. Abuhasira, R., Haviv, Y. S., Leiba, M., Leiba, A., Ryvo, L., & Novack, V. (2021). Cannabis is associated with blood pressure reduction in older adults A 24-hours ambulatory blood pressure monitoring study. *European Journal of Internal Medicine*, 86(October 2020), 79–85. https://doi.org/10.1016/j.ejim.2021.01.005
- 3. Tumati, S., Lanctôt, K. L., Wang, R. D., Li, A., Davis, A., & Herrmann, N. (2022). Medical cannabis use among older adults in Canada: Self-reported data on types and amount used, and perceived effects. *Drugs and Aging*, 39(2), 153–163. https://doi.org/10.1007/s40266-021-00913-y
- 4. Government of Canada. (2018). Cannabis Legalization and Regulation.
- 5. Cox, C. (2018). The canadian cannabis act legalizes and regulates recreational cannabis use in 2018. *Health Policy*, 122, 205–209. https://doi.org/10.1016/j.healthpol.2018.01.009
- 6. Erickson, P. G., Van Der Maas, M., & Hathaway, A. D. (2013). Revisiting deterrence: Legal knowledge, use context and arrest perception for cannabis. *Sociologicky Casopis*, 49(3), 427–448. https://doi.org/10.13060/00380288.2013.49.3.04
- 7. Kamrul, R., Bunka, D., Crawley, A., Schuster, B., & LeBras, M. (2019). Navigating cannabinoid choices for chronic neuropathic pain in older adults Potholes and highlights. *Canadian Family Physician*, 65(11), 807–811.
- 8. Lum, H. D., Arora, K., Croker, J. A., Qualls, S. H., Schuchman, M., Bobitt, J., Milavetz, G., & Kaskie, B. (2019). Patterns of Marijuana Use and Health Impact: A Survey Among Older Coloradans. *Gerontology and Geriatric Medicine*, 5, 233372141984370. https://doi.org/10.1177/2333721419843707
- 9. Wolf, L. A., Perhats, C., Clark, P. R., Frankenberger, W. D., & Moon, M. D. (2020). The perceived impact of legalized cannabis on nursin

Thank You

Any Questions?

If you want to contact the Principal Investigator:

Dr. Sherry Dahlke

Associate Professor, Faculty of Nursing

11405-87th Avenue

University of Alberta

Canada

T6G 1C9

Telephone: 780-492-8232

Email: Sherry.Dahlke@ualberta.ca

