

Faculty of Engineering and Department of Physics

Engineering Physics 131

Final Examination

Tuesday April 12, 2022; 9:00 am – 11:30 am

1. Closed book exam. No notes or textbooks allowed.
 2. This is Part 2 of the exam, containing 5 questions each out of 10 marks, with a total of 50 marks. Attempt all questions.
 3. The details and procedures to solve these problems will be marked. Show all work in a neat and logical manner. Give your answer in correct units with 3-digit accuracy.
 4. Write your solution directly on the PDF file downloaded or write on papers and then convert to a **SINGLE PDF file**. Solutions to different questions must be written on different pages, i.e., DO NOT write solutions to different questions on the same page.
 5. You must stop writing solutions at 11:30am. You will have until 11:40am to upload your solutions to **Common eClass**.
-

LAST NAME: _____

FIRST NAME: _____

ID#: _____

2-1. [10 marks]


A go-kart (total mass including driver = 150 kg) travels along a flat horizontal circular track with a radius of 25 m. Starting from rest, the cart increases its speed uniformly at a rate of 2.0 m/s^2 . The cart continues to accelerate until it begins to skid off the track. The coefficient of static friction between the tires and the track is $\mu_s = 0.60$.

How many laps (or what fraction of a lap) around the track can it cover before it begins to skid? Your answer should be accurate to three significant figures (i.e., not asking for an integer).

2-2. [10 marks]

An $m=0.1$ kg mass is initially at rest at the end of a compressed spring of stiffness $k = 20$ N/m. After the spring is allowed to decompress, the mass slides over a frictionless vertically oriented, semi-circular track of radius $R = 0.5$ m.

Find the minimum compression, s , of the spring required so that the mass gets to the top of the track without leaving the track.




2-3. [10 marks]

On a bet from his friends, Thor Odinson places his hammer in an elevator, as shown. The motor, M , lifts the elevator and hammer through the pulley system shown. The combined weight of the elevator and hammer is 2700 lbs. At the point P, indicated, the constant acceleration is 8 ft/s^2 . The velocity of point P is 2 ft/s at time $t = 0$.

- Starting at $t = 0$, what is the distance the elevator traveled in 2s? What is the velocity of the elevator at $t = 2 \text{ s}$?
- Starting at $t = 0$, what is the work done by the motor over the next 2s while the elevator rises?


Assume that the pulleys are ideal and massless.



2-4. [10 marks]


Crates A and B are both 5 kg, and the kinetic coefficients of friction between them and the inclined surface are $\mu_{kA} = 0.1$ and $\mu_{kB} = 0.4$, respectively. The coefficient of restitution between the crates upon collision is $e = 0.8$. The slope is at an angle of 60° from the horizontal. The crates are initially at rest and separated by 0.1 m, as shown.

What are the speeds of crate A and crate B immediately after they collide?



2-5. [10 marks]

A uniform disk of mass $m = 100$ kg and radius $R = 0.75$ m is attached to a fixed surface by a horizontal spring with a spring constant of $k = 800$ N/m. The disk is displaced to the right on the horizontal surface until the spring is compressed 0.5 m and then released from rest.



- Draw the free body diagram and kinetic diagram of the disk.
- If the disk rolls without slipping, what is its angular acceleration at the instant it is released?
- What is the minimum coefficient of static friction for which the disk will not slip when it is released?